L Number	Hits	Search Text	DB	Time stamp
1	63	tab and 345/163.ccls.	USPAT;	2003/11/25
			US-PGPUB;	11:20
			DERWENT	
2	2	(distal near9 tab) and 345/163.ccls.	USPAT;	2003/11/25
-	_	(anotal hours tab) and one hours	US-PGPUB;	11:27
			DERWENT	
3	13	(distal near9 button) and 345/163.ccls.	USPAT:	2003/11/25
		distal licals pattolly and 640/100/00/01	US-PGPUB;	11:22
			DERWENT	1
4	4	("5570112" "5870081" "5912661"	USPAT	2003/11/25
•	7	"6275215").PN.	COPAT	11:25
_	780	345/163.ccls.	HCDAT.	2003/11/25
5	780	345/163.CCIS.	USPAT;	
			US-PGPUB;	11:27
_			DERWENT	0000/44/07
6	666	345/163.ccls. and (button near9 attach\$3	USPAT;	2003/11/25
		connect\$3)	US-PGPUB;	11:27
·			DERWENT	
7	166	345/163.ccls. and (button near9 (attach\$3	USPAT;	2003/11/25
		connect\$3))	US-PGPUB;	11:28
			DERWENT	
8	15	345/163.ccls. and (button near9 (attach\$3	USPAT;	2003/11/25
		connect\$3)) near9 (far distal end)	US-PGPUB;	11:38
			DERWENT	
9	16	345/163.ccls. and ((reverse backward) near7	USPAT;	2003/11/25
		button)	US-PGPUB;	11:35
			DERWENT	
10	10	345/163.ccls. and (button near9 (mount\$3))	USPAT;	2003/11/25
		near9 (far distal end)	US-PGPUB;	11:40
			DERWENT	
11	32	345/\$.ccls. and (button near9 (mount\$3))	USPAT;	2003/11/25
		near9 (far distal end)	US-PGPUB;	11:43
		, ,	DERWENT	
12	6883	button near4 assembly	USPAT;	2003/11/25
			US-PGPUB;	11:49
i			DERWENT	
13	109	(button near4 assembly) and 345/\$.ccls.	USPAT;	2003/11/25
		,	US-PGPUB;	11:45
			DERWENT	
14	14	(button near4 assembly) and 345/163.ccls.	USPAT;	2003/11/25
•-	•	(Julion Hours about 197) and once the	US-PGPUB;	11:49
			DERWENT	
15	36838	button near7 (position adjustable)	USPAT;	2003/11/25
.5	30030	button hear? (position adjustable)	US-PGPUB;	11:50
İ			DERWENT	. 1100
16	204	(button near7 (position adjustable)) and	USPAT;	2003/11/25
10	204	345/163.ccls.	US-PGPUB;	11:50
		343/103.CCIS.	•	11:50
			DERWENT	
	4			
17	153	button near7 (position near9 adjustable)	USPAT; US-PGPUB;	2003/11/25 11:51

18	4	(button near7 (position near9 adjustable))	USPAT;	2003/11/25
		and 345/163.ccls.	US-PGPUB;	12:01
,			DERWENT	
19	291	button near7 ((mount\$3 attach\$3	USPAT;	2003/11/25
		connect\$3) near9 adjustable)	US-PGPUB;	11:59
			DERWENT	
20	8	(button near7 ((mount\$3 attach\$3	USPAT;	2003/11/25
		connect\$3) near9 adjustable)) and	US-PGPUB;	11:52
		345/163.ccls.	DERWENT	
21	13	("4760217" "4862165" "5570112"	USPAT	2003/11/25
		"5631669" "5648798" "5880715"		11:52
		"5894303" "5923318" "6016138"		
:		"6040539" "6072471" "6099929"		
		"6229527").PN.		
22	10	button near7 ((hinge fulcrum) near9	USPAT;	2003/11/25
		adjustable)	US-PGPUB;	11:59
			DERWENT	
23	7193	button near7 ((hinge fulcrum mount\$3	USPAT;	2003/11/25
		connect\$4 tab) near9 (distal end away))	US-PGPUB;	12:04
			DERWENT	
24	0	((button near7 (position near9 adjustable))	USPAT;	2003/11/25
		and 345/163.ccls.) and (button near7 ((hinge	US-PGPUB;	12:00
		fulcrum mount\$3 connect\$4 tab) near9	DERWENT	
		(distal end away)))		
25	22	(button near7 ((hinge fulcrum mount\$3	USPAT;	2003/11/25
		connect\$4 tab) near9 (distal end away)))	US-PGPUB;	12:04
		and 345/163.ccls.	DERWENT	
26	46	button near7 ((hinge) near9 (distal away	USPAT;	2003/11/25
		far))	US-PGPUB;	12:05
			DERWENT	
27	2	(button near7 ((hinge) near9 (distal away	USPAT;	2003/11/25
		far))) and 345/163.ccls.	US-PGPUB;	12:05
		***	DERWENT	
28	16	button near4 (hinge) and 345/163.ccls.	USPAT;	2003/11/25
		(()	US-PGPUB;	13:04
			DERWENT	
29	780	345/163.ccls.	USPAT;	2003/11/25
			US-PGPUB;	13:22
			DERWENT	
30	0	button near5 torgue	USPAT;	2003/11/25
		3	US-PGPUB;	13:23
			DERWENT	
31	392321	q	USPAT;	2003/11/25
		7	US-PGPUB;	13:22
1			DERWENT	
32	246	button near5 torque	USPAT;	2003/11/25
-	2-75	and to due	US-PGPUB;	13:23
			DERWENT	
33	2	(button near5 torque) and 345/163.ccls.	USPAT;	2003/11/25
33		(watton near o torque) and 040/100/00131	US-PGPUB;	13:23
			DERWENT	
34	34	((large\$3 big\$3) near3 hand) and	USPAT;	2003/11/25
-300	J 34	,	1	
54		345/163.ccls.	US-PGPUB;	14:30

1				
35	827	mouse near3 button	EPO; JPO	2003/11/25 14:31
36	754	mouse near3 button	JPO	2003/11/25
36	754	mouse nears button	JPU	14:32
37	8	mouse near3 button near3 (hinge tab felx	JPO	2003/11/25
31		end far away)	JPU	14:31
38	73	mouse near3 button	EPO	2003/11/25
30	/3	mouse nears button	EPU	14:59
39	146	(mouse near3 button) and mouse.ti.	JPO	2003/11/25
33	140	(mouse nears button) and mouse.ti.	JPU	14:33
40	0	mouse and (reverse near3 cantilever)	EPO	2003/11/25
40		mouse and (reverse nears candiever)	EFO	15:00
41	0	mouse and (reverse near3 cantilever)	EPO; JPO;	2003/11/25
41	•	mouse and (reverse nears cantilever)	IBM_TDB	15:00
42	2		JPO	
42	2	mouse and (cantilever)	JPU	2003/11/25
40	_			15:00
43	3	mouse near3 button near9 front	JPO	2003/11/25
44	440	manage manage builting manage from t	HERAT	15:01
44	116	mouse near3 button near9 front	USPAT;	2003/11/25
			US-PGPUB;	15:19
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/44/05
45	2	mouse near3 button near4 (connect\$3	US-PGPUB;	2003/11/25
		attach\$3 mount\$3) near9 (front distal)	EPO; JPO;	15:20
			DERWENT;	
40		0.1.44	IBM_TDB	0000/44/05
46	2	mouse near3 button near4 (connect\$3	US-PGPUB;	2003/11/25
		attach\$3 mount\$3 flex bend pivot) near9	EPO; JPO;	15:20
		(front distal)	DERWENT;	
47			IBM_TDB	2002/44/25
47	2	mouse near3 button near4 (connect\$3	US-PGPUB;	2003/11/25 15:21
		attach\$3 mount\$3 flex bend pivot) near9	EPO; JPO;	15:21
		(away front distal)	DERWENT;	
40			IBM_TDB	2002/44/25
48	0	mouse near3 button near4 (hinge) near9	US-PGPUB;	2003/11/25
		(away front distal)	EPO; JPO;	15:21
			DERWENT;	
49	20	hutton noord (hinne) noord (overvierent	IBM_TDB	2003/11/25
49	20	button near4 (hinge) near9 (away front	US-PGPUB;	15:22
		distal)	EPO; JPO;	15:22
			DERWENT;	
50	0	(butter read (binns) near (cursus front	IBM_TDB	2003/11/25
50	•	(button near4 (hinge) near9 (away front	US-PGPUB; EPO; JPO;	15:21
		distal)) and mouse	DERWENT;	15.21
			IBM_TDB	
51	43	button near4 (hinge) near9 (away front	USPAT;	2003/11/25
J 1	43	distal)	DERWENT	15:22
52	942	button near4 (hinge hinged mounted) near9	USPAT;	2003/11/25
7 -	342	(away front distal)	DERWENT	15:22
53	31	(button near4 (hinge hinged mounted) near9	USPAT;	2003/11/25
		(away front distal)) and mouse	DERWENT	15:22

			_	
•	331	(mouse and force).ab.	USPAT;	2002/11/13
			US-PGPUB;	10:47
			DERWENT	
-	15	(mouse and (force near4 button)).ab.	USPAT;	2002/11/13
			US-PGPUB;	11:01
			DERWENT	
-	2	5898424.pn.	USPAT;	2002/11/13
			US-PGPUB;	14:33
			DERWENT	
-	10	("5006836" "5153571" "5157381"	USPAT	2002/11/13
		"5355148" "5414445" "5506605"		11:01
		"5585823" "5657051" "5670988"		
		"5701142").PN.		
-	14	5898424.URPN.	USPAT	2002/11/13
				11:03
-	9	reverse adj cantilever	USPAT;	2002/11/13
			US-PGPUB;	14:43
			DERWENT	
-	1200	345/156.ccls.	USPAT;	2002/11/13
			US-PGPUB;	14:44
			DERWENT	
-	0	345/163.ccls	USPAT;	2002/11/19
			US-PGPUB;	08:31
			DERWENT	
-	616	345/163.ccls.	USPAT;	2002/11/19
			US-PGPUB;	08:31
			DERWENT	
-	6	345/163.ccls. and newtons	USPAT;	2002/11/19
			US-PGPUB;	08:31
	_		DERWENT	
-	6	345/163.ccls. and newton	USPAT;	2002/11/19
			US-PGPUB;	08:32
		0.45/400	DERWENT	0000/44/40
-	269	345/163.ccls. and force	USPAT;	2002/11/19
			US-PGPUB;	08:33
	50	245/462 and and /forms would (button or	DERWENT	2002/11/19
•	59	345/163.ccls. and (force near4 (button or	USPAT;	08:38
		click))	US-PGPUB; DERWENT	00:30
	0	345/163.ccls. and ((long adj finger) or (big	USPAT;	2002/11/19
•		adj hand))	US-PGPUB;	08:38
		auj lialiu//	DERWENT	30.00
_	. 2	345/163.ccls. and ((long\$2 adj finger) or	USPAT;	2002/11/19
-		(big\$3 adj hand))	US-PGPUB;	08:40
		(big45 auj nanu))	DERWENT	00.40
_	30	345/163.ccls. and (differ\$4 near2 force)	USPAT;	2002/11/19
		5.5. 100.00.01 and (annother notice)	US-PGPUB;	08:52
			DERWENT	
•	14	345/163.ccls. and (differ\$4 near2 pressure)	USPAT;	2002/11/19
		The state of the s	US-PGPUB;	08:55
			DERWENT	_
	1843	(mouse or pointer) and (differ\$4 near2	USPAT;	2002/11/19
		(pressure force))	US-PGPUB;	08:56

•	11	((mouse or pointer) and (differ\$4 near2	USPAT;	2002/11/19
		(pressure force))) and (((small\$2 big\$3) adj	US-PGPUB;	09:09
		hand) or ((long\$2 short\$2) adj finger))	DERWENT	
-	358518	(mouse and (differ\$4 near8 force near8	USPAT;	2002/11/19
		button) or (cantilever beam)).ab.	US-PGPUB;	09:11
			DERWENT	
-	124	(mouse and ((differ\$4 near8 force near8	USPAT;	2002/11/19
		button) or (cantilever beam))).ab.	US-PGPUB;	09:40
			DERWENT	
-	0	200.ccls.	USPAT;	2002/11/19
			US-PGPUB;	09:41
			DERWENT	
•	69530	200/\$.ccls.	USPAT;	2002/11/19
			US-PGPUB;	09:41
			DERWENT	
-	186	200/\$.ccls. and leverage	USPAT;	2002/11/19
		_	US-PGPUB;	10:47
			DERWENT	
-	142	200/343.ccls.	USPAT;	2002/11/19
			US-PGPUB;	11:25
			DERWENT	
-	326	200/400.ccls.	USPAT;	2002/11/19
			US-PGPUB;	11:27
			DERWENT	
•	0	113035.an.	USPAT;	2002/11/19
			US-PGPUB;	14:46
			DERWENT	
•	4641	giles	USPAT;	2002/11/19
			US-PGPUB;	14:46
			DERWENT	
-	0	giles and 345.ccls.	USPAT;	2002/11/19
			US-PGPUB;	14:47
			DERWENT	
-	30	giles and 345/\$.ccls.	USPAT;	2002/11/19
			US-PGPUB;	14:47
			DERWENT	
-	0	6323843.URPN.	USPAT	2002/11/19
				15:08
	0	(5726683,5576733).pn.	USPAT;	2002/11/19
			US-PGPUB;	15:08
			DERWENT	
-	4	("5726683" or "5576733").pn.	USPAT;	2002/11/19
			US-PGPUB;	15:08
			DERWENT	
-	69530	200/\$.ccls.	USPAT;	2002/11/20
			US-PGPUB;	10:13
			DERWENT	
-	807	200/\$.ccls. and cantilever	USPAT;	2002/11/20
			US-PGPUB;	10:14
			DERWENT	
-	678	(200/\$.ccls. and cantilever) and two	USPAT;	2002/11/20
			US-PGPUB;	10:14
			DERWENT	

•				
-	82	((200/\$.ccls. and cantilever) and two) and	USPAT;	2002/11/20
		(leverage torque)	US-PGPUB;	10:20
İ			DERWENT	
-	616	345/163.ccls.	USPAT;	2002/11/20
:			US-PGPUB;	10:59
		· ·	DERWENT	
-	2	5570112.pn.	USPAT;	2002/11/20
			US-PGPUB;	10:50
			DERWENT	
-	7	("5870081" "5912661" "6275215"	USPAT;	2002/11/20
		"5570112").pn.	US-PGPUB;	10:50
			DERWENT	
_	2	345/163.ccls. and giles	USPAT;	2002/11/20
		_	US-PGPUB;	11:12
			DERWENT	
_	2	3983697.pn.	USPAT;	2002/11/20
		-	US-PGPUB;	11:12
			DERWENT	
	3	393697.pn.	USPAT;	2002/11/20
		,	US-PGPUB;	11:12
			DERWENT	
_	2	3953697.pn.	USPAT;	2002/11/20
		- C	US-PGPUB;	11:19
			DERWENT	
_	5	("2170961" "2384988" "3324268"	USPAT	2002/11/20
		"3340372" "3514561").PN.	J GOLA.	11:13
_	5	("2170961" "2384988" "3324268"	USPAT	2002/11/20
_		"3340372" "3514561").PN.	OU.A.	11:13
	7	3953697.URPN.	USPAT	2002/11/20
	•	OSOSSI ISKI KI	JOI A.	11:13
_	4	3324268.URPN.	USPAT	2002/11/20
	_	001-12010M1 M1	OU. A.	11:14
_	23	\$\$2shape\$2 near2 spring near8 (button or	USPAT;	2002/11/20
		switch)	US-PGPUB;	11:22
		Switchij	DERWENT	
_	42	C\$2shape\$2 near2 spring near8 (button or	USPAT;	2002/11/20
	72	switch)	US-PGPUB;	11:25
			DERWENT	
	8	J\$2shape\$2 near2 spring near8 (button or	USPAT;	2002/11/20
]	switch)	US-PGPUB;	11:27
		Switchy	DERWENT	
_	0	J\$2shape\$2 near2 (spring adj beam)	USPAT;	2002/11/20
_	•	oveniapeve neare (spring auj beani)	US-PGPUB;	11:31
			DERWENT	11.51
	6	s\$2shape\$2 near2 (spring adj beam)	USPAT;	2002/11/20
-		342311ape42 lical2 (3pring auj beam)	US-PGPUB;	11:31
•			•	11:31
	_	C\$2chano\$2 noor2 (arrive edi beem)	DERWENT	2002/44/20
-	1	C\$2shape\$2 near2 (spring adj beam)	USPAT;	2002/11/20
			US-PGPUB;	11:31
	000	It2ahanat2 nag-2 (andisa)	DERWENT	2002/44/20
-	200	J\$2shape\$2 near2 (spring)	USPAT;	2002/11/20
			US-PGPUB;	11:32
			DERWENT	

•				
•	115	J\$2shape\$2 with (button switch)	USPAT;	2002/11/20
			US-PGPUB;	11:36
			DERWENT	
-	691	345/163.ccls.	USPAT:	2003/05/22
			US-PGPUB;	12:07
			DERWENT	.2.01
_	11	(reverse near2 cantilever) and (switch	USPAT;	2003/05/22
_		button)	US-PGPUB;	14:12
		baccomy	DERWENT	1-7-1-2
_	55	reverse near2 cantilever	USPAT;	2003/05/22
_	33	leverse nearz canthever	US-PGPUB;	14:08
			DERWENT	14:00
	444	dual manuficantilanan		2002/05/22
-	141	dual near1 cantilever	USPAT;	2003/05/22
			US-PGPUB;	14:09
			DERWENT	0000/05/05
•	22	reverse near1 cantilever	USPAT;	2003/05/22
			US-PGPUB;	14:10
			DERWENT	
-	164	(j s c) near1 cantilever	USPAT;	2003/11/24
			US-PGPUB;	11:19
			DERWENT	
-	33	((j s c) near1 cantilever) and (switch button)	USPAT;	2003/05/22
			US-PGPUB;	14:13
			DERWENT	
-	2	5268674.pn.	USPAT;	2003/05/29
			US-PGPUB;	12:07
			DERWENT	
-	48465	((second two) with (hinge))	USPAT	2003/11/24
				12:54
-	327	(((second two) with (hinge))) and 345/\$.ccls.	USPAT	2003/11/24
				12:05
•	116	((((second two) with (hinge))) and	USPAT	2003/11/24
		345/\$.ccls.) and mouse		11:26
•	6	("5528265" "5745055" "5894302"	USPAT	2003/11/24
		"6005553" "6097371" "6124846").PN.		11:34
	0	6580419.URPN.	USPAT	2003/11/24
				12:03
	34651	345/\$.ccis.	USPAT	2003/11/24
				12:05
	9620	((second two) with (flex))	USPAT	2003/11/24
		(1222112 1112)		12:54
-	47	345/\$.ccls. and (((second two) with (flex)))	USPAT	2003/11/24
	7,	C-15, 7. 50151 Will (116 (116 (116 (116 (116 (116 (116 (1	30.7.	12:59
_	625	345/163.ccls.	USPAT	2003/11/24
- 	025		JUFAI	12:59
	<u> </u>		1	12.33

-	115060	(two second another) near9 (pivot hinge)	USPAT	2003/11/24 13:01	
-	45	345/163.ccls. and ((two second another) near9 (pivot hinge)	USPAT	2003/11/24 13:11	
)			
-	1	6417842.pn.	USPAT	2003/11/24 13:11	
•	10	("4780707" "4862165" "5006836" "5268674" "5355148" "5576733" "5754126" "5805143" "5880715"	USPAT	2003/11/24 13:11	
	4	"5883690").PN. 345/163.ccls. and (front near5 hinge)	USPAT;	2003/11/24	
		040/100/0013: and (nont hears milge)	US-PGPUB; DERWENT	15:17	